



1fw

PATENT

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Bonnie GURRY et al. Docket No.: HAT.P1300A
Serial No: 10/784,402 Group Art Unit: 1753
Filed: February 23, 2004 Examiner:
For: MICROSENSOR TO MEASURE OR REGULATE THE AMOUNT OF CHLORINE
AND BROMINE IN WATER

Office of Initial Patent Examination's Filing Receipt

Corrections

P.O. Box 1450

Alexandria, VA 22313-1450

TRANSMITTAL SHEET

Enclosed are:

Transmittal sheet with Certificate of Mailing and Authorization to Charge Deposit Account
(1 page in duplicate)

Letter (1 page)

Copy of Filing Receipt (2 pages)


Copy of Utility Patent Application Transmittal Sheet (1 page)

Return receipt postcard

AUTHORIZATION TO CHARGE DEPOSIT ACCOUNT

In the event an additional fee is applicable to the filing of this document and the required fee is not enclosed, or the fee submitted is insufficient, the Commissioner is hereby authorized to charge any fees which might be required to effect the filing of this (these) document(s) to Account No. 18-0987. This certificate is submitted in duplicate.

Respectfully submitted,


Joseph G. Curatolo, Esq. (Reg. No. 28,837)

RENNER, KENNER, GREIVE, BOBAK, TAYLOR & WEBER
24500 Center Ridge Road, Suite 280
Westlake, Ohio 44145

Telephone: (440) 808-0011

Attorney for Applicants

6-29-2004

Date

Certificate of Mailing

I hereby certify that this correspondence is being deposited on the date shown below with the United States Postal Service as first class mail in an envelope with sufficient postage addressed to: Office of Initial Patent Examination's Filing Receipt Corrections, P.O. Box 1450, Alexandria, VA 22313.

Sandra C. Curatolo
(type or print name of person signing paper)

Sandra C. Curatolo
(signature of person mailing paper)

6-29-04
(date)



PATENT

UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Bonnie GURRY et al. Docket No.: HAT.P1300A

Serial No: 10/784,402 Group Art Unit: 1753

Filed: February 23, 2004 Examiner:

For: MICROSENSOR TO MEASURE OR REGULATE THE AMOUNT OF CHLORINE
AND BROMINE IN WATER

Office of Initial Patent Examination's Filing Receipt

Corrections

P.O. Box 1450

Alexandria, VA 22313-1450

Certificate of Mailing

I hereby certify that this correspondence is being deposited on the date shown below with the United States Postal Service as first class mail in an envelope with sufficient postage addressed to: Office of Initial Patent Examination's Filing Receipt Corrections, P.O. Box 1450, Alexandria, VA 22313.

Sandra C. Curatolo
(type or print name of person signing paper)

Sandra C. Curatolo 6-29-04
(signature of person mailing paper) (date)

LETTER

Dear Sir:

Upon review of the filing receipt for the above referenced patent application, it has come to my attention that the Atty. Docket No. should have been HAT.P1300A. A copy of the filing receipt is enclosed herewith.

The filing receipt indicates Atty. Docket No. as: 1300A.

The correct Atty. Docket No. should read as: HAT.P1300A

Please correct our Atty. Docket No. in the records of the United States Patent and Trademark Office, as was shown on the enclosed copy of the Utility Patent Application Transmittal document.

Any questions regarding this request may be directed to the undersigned Attorney by telephone at (440) 808-0011.

Respectfully submitted,

Joseph G. Curatolo
Joseph G. Curatolo, Esq. (Reg. No. 28,837)

RENNER, KENNER, GREIVE, BOBAK, TAYLOR & WEBER

24500 Center Ridge Road, Suite 280

Westlake, Ohio 44145

Telephone: (440) 808-0011

Attorney for Applicants

6-29-2004

Date



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY.DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/784,402	02/23/2004	1753	385	1300A	3	7	1

CONFIRMATION NO. 1825

23575

JOSEPH G CURATOLO, ESQ.
 RENNER KENNER GREIVE BOBAK TAYLOR & WEBER
 24500 CENTER RIDGE ROAD, SUITE 280
 WESTLAKE, OH 44145

CORRECTED FILING RECEIPT



OC000000012995223

Date Mailed: 06/21/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Bonnie Gurry, Solon, OH;
 Meijun Shao, Richmond Heights, OH;
 Laurie Dudik, South Euclid, OH;
 Chung-Chiun Liu, Cleveland Heights, OH;

Domestic Priority data as claimed by applicant

This application is a DIV of 09/799,969 03/06/2001 PAT 6,740,225
 which claims benefit of 60/187,528 03/07/2000

Foreign Applications

If Required, Foreign Filing License Granted: 05/15/2004

Projected Publication Date: 08/26/2004

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

Title

Microsensor to measure or regulate the amount of chlorine and bromine in water

Preliminary Class

205

**LICENSE FOR FOREIGN FILING UNDER
Title 35, United States Code, Section 184
Title 37, Code of Federal Regulations, 5.11 & 5.15**

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).